

Morinda

(Hypoallergenic)



Item # 75740
100 Vegetarian Capsules

The Possible Benefits of Morinda, a Dietary Supplement

- Supports cellular energy production*
- May enhance immunity*
- May support strength and recovery*

Description

Morinda is a concentrated extract of noni (*Morinda citrifolia*) traditionally used for a wide spectrum of health benefits.* The use of noni, also known as Indian mulberry, as food and medicine, originated in China and India, and migrated to Polynesia, Tahiti, Malaysia and Hawaii. The fruit has traditionally been used to support the musculoskeletal system, to support blood sugar within normal levels, and as a tonic.* During World War II, native Polynesians gave American soldiers noni fruit to sustain their strength.

Noni's active ingredients include vitamins, minerals, scopoletin, octoanoic acid, terpenoids, alkaloids, beta-sitosterol, flavone glycosides, linoleic acid, amino acids, acubin, caproic acid, caprylic acid, ursolic acid and rutin. Noni is thought to help regulate cell function and support cellular energy

production.* It has been reported by researchers to have smooth muscle stimulatory activity and histaminergic effects.* An impressive review of both the literature and recent research in noni was published in 2002 by Wang, et al, which summarizes scientific evidence supporting the Polynesians' reports that noni has many benefits, including immune enhancement.*

Although there are a few reports^{1,2} that try to implicate noni juice in possible liver toxicity, a study published in 2006 in the World Journal of Gastroenterology³ convincingly shows that both the evidence and the reasoning used in the reports is questionable, and that noni does not have adverse liver effects.* This is further substantiated by the millions of doses used clinically worldwide and in nutritional supplements without problems.*

Serving Size: 2 capsules

Servings Per Container: 50

Amount Per Serving:

Noni (*Morinda citrifolia*) (Fruit) Extract 10:1

1200 mg

Other ingredients: Hydroxypropyl methylcellulose, cellulose, magnesium stearate.

Suggested Use: As a dietary supplement, 2 capsules two times daily, or as directed by a healthcare practitioner.

Keep in a cool, dry place, tightly capped.

*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

References

1. Millionig G, Stadlmann S, Vogel W. Herbal hepatotoxicity: acute hepatitis caused by a Noni preparation (*Morinda citrifolia*). *Eur J Gastroenterol Hepatol*. 2005 Apr;17(4):445-7.
2. Stadlbauer V, Fickert P, Lackner C, Schmerlaib J, Krisper P, Trauner M, Stauber RE. Hepatotoxicity of noni juice: report of two cases. *World J Gastroenterol*. 2005 Aug 14;11(30):4758-60.
3. West BJ, Jensen CJ, Westendorf J. Noni juice is not hepatotoxic. *World J Gastroenterol*. 2006 Jun 14;12(22):3616-9.
- Ajaiyeoba EO, Abiodun OO, Falade MO, Ogbolo NO, Ashidi JS, Happi CT, Akinboye DO. In vitro cytotoxicity studies of 20 plants used in Nigerian antimalarial ethnomedicine. *Phytomedicine*. 2006 Mar;13(4):295-8. Epub 2005 Sep 15.
- Ancolio C, Azas N, Mahiou V, Ollivier E, Di Giorgio C, Keita A, Timon-David P, Balansard G. Antimalarial activity of extracts and alkaloids isolated from six plants used in traditional medicine in Mali and Sao Tome. *Phytother Res*. 2002 Nov;16(7):646-9.
- Arpornsuwan T, Punjanon T. Tumor cell-selective antiproliferative effect of the extract from *Morinda citrifolia* fruits. *Phytother Res*. 2006 Jun;20(6):515-7.
- Banerjee S, Johnson AD, Csiszar K, et al. An Extract of *Morinda citrifolia* Interferes with the Serum-Induced Formation of Filamentous Structures in *Candida albicans* and Inhibits Germination of *Aspergillus nidulans*. *Am J Chin Med*. 2006;34(3):503-9.
- Bui AK, Bacic A, Pettolino F. Polysaccharide composition of the fruit juice of *Morinda citrifolia* (Noni). *Phytochemistry*. 2006 Jun 13; [Epub ahead of print]
- Cimanga K, Hermans N, Apers S, Van Miert S, Van den Heuvel H, Claeys M, Pieters L, Vlietinck A. Complement-inhibiting iridoids from *Morinda morindoides*. *J Nat Prod*. 2003 Jan;66(1):97-102.
- Dang-Van-Ho. [Treatment and prevention of hypertension and its cerebral complications by total root extracts of *Morinda citrifolia*] *Presse Med*. 1955 Nov 2;63(72):1478. French.
- Furusawa E, Hirazumi A, Story S, Jensen J. Antitumour potential of a polysaccharide-rich substance from the fruit juice of *Morinda citrifolia* (Noni) on sarcoma 180 ascites tumour in mice. *Phytother Res*. 2003 Dec;17(10):1158-64.
- Hemwimol S, Pavasant P, Shotipruk A. Ultrasound-assisted extraction of anthraquinones from roots of *Morinda citrifolia*. *Ultrason Sonochem*. 2005 Nov 30; [Epub ahead of print]
- Hirazumi A, Furusawa E, Chou SC, Hokama Y. Anticancer activity of *Morinda citrifolia* (noni) on intraperitoneally implanted Lewis lung carcinoma in syngeneic mice. *Proc West Pharmacol Soc*. 1994;37:145-6.
- Hirazumi A, Furusawa E, Chou SC, Hokama Y. Immunomodulation contributes to the anticancer activity of *Morinda citrifolia* (noni) fruit juice. *Proc West Pharmacol Soc*. 1996;39:7-9.
- Hirazumi A, Furusawa E. An immunomodulatory polysaccharide-rich substance from the fruit juice of *Morinda citrifolia* (noni) with antitumor activity. *Phytother Res*. 1999 Aug;13(5):380-7.
- Hornick CA, Myers A, Sadowska-Krowicka H, Anthony CT, Woltering EA. Inhibition of angiogenic initiation and disruption of newly established human vascular networks by juice from *Morinda citrifolia* (noni). *Angiogenesis*. 2003;6(2):143-9.
- Kamiya K, Tanaka Y, Endang H, Umar M, Satake T. Chemical constituents of *Morinda citrifolia* fruits inhibit copper-induced low-density lipoprotein oxidation. *J Agric Food Chem*. 2004 Sep 22;52(19):5843-8.
- Kamiya K, Tanaka Y, Endang H, Umar M, Satake T. New anthraquinone and iridoid from the fruits of *Morinda citrifolia*. *Chem Pharm Bull (Tokyo)*. 2005 Dec;53(12):1597-9.
- Kim SW, Jo BK, Jeong JH, Choi SU, Hwang YI. Induction of extracellular matrix synthesis in normal human fibroblasts by anthraquinone isolated from *Morinda citrifolia* (Noni) fruit. *J Med Food*. 2005 Winter;8(4):552-5.
- Langford J, Doughty A, Wang M, et al. No Effects of *Morinda citrifolia* on quality of life and auditory function in postmenopausal women. *J Altern Complement Med*. 2004 Oct;10(5):737-9.
- Levand O, Larson HO. Some chemical constituents of *Morinda citrifolia*. *Planta Med*. 1979 Jun;36(2):186-7.
- Li RW, Myers SP, Leach DN, Lin GD, Leach G. A cross-cultural study: anti-inflammatory activity of Australian and Chinese plants. *J Ethnopharmacol*. 2003 Mar;85(1):25-32.
- Li YF, Gong ZH, Yang M, Zhao YM, Luo ZP. Inhibition of the oligosaccharides extracted from *Morinda officinalis*, a Chinese traditional herbal medicine, on the corticosterone induced apoptosis in PC12 cells. *Life Sci*. 2003 Jan 10;72(8):933-42.
- Li YF, Yuan L, Xu YK, Yang M, Zhao YM, Luo ZP. Antistress effect of oligosaccharides extracted from *Morinda officinalis* in mice and rats. *Acta Pharmacol Sin*. 2001 Dec;22(12):1084-8.
- Liu G, Bode A, Ma WY, Sang S, Ho CT, Dong Z. Two novel glycosides from the fruits of *Morinda citrifolia* (noni) inhibit AP-1 transactivation and cell transformation in the mouse epidermal JB6 cell line. *Cancer Res*. 2001 Aug 1;61(15):5749-56.
- McClatchey W. From Polynesian healers to health food stores: changing perspectives of *Morinda citrifolia* (Rubiaceae). *Integr Cancer Ther*. 2002 Jun;1(2):110-20; discussion 120. Review.
- McKoy ML, Thomas EA, Simon OR. Preliminary investigation of the anti-inflammatory properties of an aqueous extract from *Morinda citrifolia* (noni). *Proc West Pharmacol Soc*. 2002;45:76-8.
- Noni: Polynesia's natural pharmacy. Pride Publishing. Vineyard, UT, 1997.
- Pawlus AD, Su BN, Keller WJ, Kinghorn AD. An anthraquinone with potent quinone reductase-inducing activity and other constituents of the fruits of *Morinda citrifolia* (noni). *J Nat Prod*. 2005 Dec;68(12):1720-2.
- Pu HF, Huang WJ, Tseng WM, Wang SW, Liu YW, Doong ML, Wang PS. Effects of juice from *Morinda citrifolia* (Noni) on gastric emptying in male rats. *Chin J Physiol*. 2004 Dec 31;47(4):169-74.
- Raj RK. Screening of indigenous plants for anthelmintic action against human *Ascaris lumbricoides*: Part-II. *Indian J Physiol Pharmacol*. 1975 Jan-Mar;19(1):UNKNOWN.
- Saludes JP, Garson MJ, Franzblau SG, Aguinaldo AM. Antitubercular constituents from the hexane fraction of *Morinda citrifolia* Linn. (Rubiaceae). *Phytother Res*. 2002 Nov;16(7):683-5.
- Sang S, He K, Liu G, Zhu N, Cheng X, Wang M, Zheng Q, Dong Z, Ghai G, Rosen RT, Ho CT. A new unusual iridoid with inhibition of activator protein-1 (AP-1) from the leaves of *Morinda citrifolia* L. *Org Lett*. 2001 May 3;3(9):1307-9.
- Sang S, Liu G, He K, Zhu N, Dong Z, Zheng Q, et al. New unusual iridoids from the leaves of noni (*Morinda citrifolia* L.) show inhibitory effect on ultraviolet B-induced transcriptional activator protein-1 (AP-1) activity. *Bioorg Med Chem*. 2003 Jun 12;11(12):2499-502.
- Shotipruk A, Kiatsongserm J, Pavasant P, Goto M, Sasaki M. Pressurized hot water extraction of anthraquinones from the roots of *Morinda citrifolia*. *Biotechnol Prog*. 2004 Nov-Dec;20(6):1872-5.
- Soepadmo E (ed.). *The Encyclopedia of Malaysia: Plants*. Editions Didier Millet, 1998.
- Su BN, Pawlus AD, Jung HA, Keller WJ, McLaughlin JL, Kinghorn AD. Chemical constituents of the fruits of *Morinda citrifolia* (Noni) and their antioxidant activity. *J Nat Prod*. 2005 Apr;68(4):592-5.
- Wang MY, Su C. Cancer preventive effect of *Morinda citrifolia* (Noni). *Ann N Y Acad Sci*. 2001 Dec;952:161-8.
- Wang MY, West BJ, Jensen CJ, Nowicki D, Su C, Palu AK, Anderson G. *Morinda citrifolia* (Noni): a literature review and recent advances in Noni research. *Acta Pharmacol Sin*. 2002 Dec;23(12):1127-41.
- Wee Yeow Chin. *A Guide to Medicinal Plants*. Singapore Science Centre, 1992.
- Wong DK. Are immune responses pivotal to cancer patient's long term survival? Two clinical case-study reports on the effects of *Morinda citrifolia* (Noni). *Hawaii Med J*. 2004 Jun;63(6):182-4.
- Youngken HW Sr. A study of the root of *Morinda citrifolia* Linne. I. *J Am Pharm Assoc Am Pharm Assoc (Baltim)*. 1958 Mar;47(3, Part 1):162-5.
- Younos C, Rolland A, Fleurentin J, Lanhers MC, Misslin R, Mortier F. Analgesic and behavioural effects of *Morinda citrifolia*. *Planta Med*. 1990 Oct;56(5):430-4.



Allergy Research Group®

2300 North Loop Road, Alameda, CA 94502

Phone: 800-545-9960 or 510-263-2000

Fax: 800-688-7426 or 510-263-2100

www.AllergyResearchGroup.com

*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.