ADVANCED LABORATORIES®
If you liked our service, please tell a friend. If you didn't, please tell us!

40 West Louise Ave., Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: utlab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate - Amended

Description: Mitochondrial Cofactor
Sample ID: 88270
Lot No: EX072123E
Location:
Received: 12/29/2021
Completed: 1/6/2022

Client: Allergy Research Group
2300 S Main St
Salt Lake City, UT 84115

Lab No: 226784-03A

Analysis	Result	Per Unit	Specifications	Method
‡ Gluten***	<5.0	ppm	Report	ELISA
Total Aerobic Microbial Count	360	CFU/g	<= 10,000 CFU/g	USP <2021>
Coliform	<10	CFU/g	<= 1,000 CFU/g	AOAC 991.14
E. coli	Absent	per 10 grams	Absent	USP <2022>
Staphylococcus aureus	Absent	per 10 grams	Absent	USP <2022>
Salmonella spp.	Absent	per 10 grams	Absent	USP <2022>
Total Yeast & Mold	<10	CFU/g	<= 1,000 CFU/g	USP <2021>
Yeast*	<10	CFU/g	<= 1,000 CFU/g	USP <2021>
Mold*	<10	CFU/g	<= 1,000 CFU/g	USP <2021>
‡ Nonfat Dried Milk (NFDM)**	<2.5	ppm	Report	ELISA
‡ Casein	<0.72	ppm	Report	Calculation
‡ Whey	<0.18	ppm	Report	Calculation

***Limit of Quantification (LOQ) = 5.0 ppm
***Samples tested for gliadin. Gliadin results are multiplied by two (2) to obtain gluten results.
**Limit of Quantification (LOQ) = 2.5 ppm
§Name update

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: _____ **Dated:** 1/6/2022
Lana Kaytso-Quality Technician

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 8669 Cleveland Rd, Clayton, NC 27520

Printed: 2/9/2022 11:12:45 AM

Lab No. 226784-03A
replaces 226784-03

TREND CHECK