ADVANCED LABORATORIES®
If you liked our service, please tell a friend. If you didn't, please tell us!

40 West Louise Ave., Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: utlab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate - Amended

Description: Mitochondrial Cofactors
Sample ID: 48270
Lot No: EX072123E
Location:
Received: 9/10/2021
Completed: 9/17/2021

Client: Allergy Research Group
2300 S Main St
Salt Lake City, UT 84115

Lab No: 221797-04A

Analysis	Result	Per Unit	Specifications	Method
Mercury	0.004	ug/g	< 0.5 ug/g	ICP-MS USP <730>
Lead	0.060	ug/g	< 0.5 ug/g	ICP-MS USP <730>
Arsenic	0.027	ug/g	< 0.5 ug/g	ICP-MS USP <730>
Cadmium	0.004	ug/g	< 0.5 ug/g	ICP-MS USP <730>

§Description updated

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: _____ **Dated:** 9/17/2021
Lana Kaytso-Quality Technician

Printed: 2/9/2022 11:54:38 AM

Lab No. 221797-04A
replaces 221797-04

TREND CHECK