



Libido Pro Female

A Botanical Boost for Women*

Libido Pro Female is a unique blend of botanicals formulated to promote libido and sexual health in women.* The formula contains herbs with a long tradition of use for women's sexual health:* *Lepidium meyenii* (maca), *Turnera diffusa* (damiana), *Tribulus terrestris* (puncture vine), *Asparagus racemosus* (shatavari), *Fouquieria splendens* (ocotillo bark), and *Zingiber officinale* (ginger).

Key Features

- Unique blend of herbal ingredients formulated to provide synergistic support for female libido.*
- Promotes healthy blood flow to the sexual organs and relieves pelvic congestion.*
- May help alleviate the effects of stress on mood, sexual desire, and pleasure.*



Item #78210
59.15 mL (2 fl. oz.)

Libido Pro Female

Lepidium meyenii, also known as Peruvian maca, is a botanical that is native to the high altitudes of the Peruvian Andes. It is prized by the indigenous people for its nutritional and medicinal properties.* With respect to sexual health, maca is considered a hormonal balancer and an adaptogen.* Human and animal studies suggest that maca may help alleviate the effects of stress on mood, energy, and sexual function.* In studies of pre- and postmenopausal women, maca was shown to improve one or more markers of sexual function, such as desire, arousal, and/or orgasm.*

Turnera diffusa (also known as *Turnera aphrodisiaca*, or simply damiana), is a shrub native to Central and South America and the southern U.S.* Damiana enhances nitric oxide synthesis, a mediator that plays a role in genital arousal in women as it does in men.* Damiana also has notable calming properties, which may lessen inhibitions to sexual engagement.* Clinically, it has been studied only in combination products, and has been shown to contribute to improvements in numerous markers of sexual function.*

Tribulus terrestris (puncture vine), also known simply as tribulus, is a botanical with a long history of use in both Ayurvedic and Chinese medicine.* It is used to support male libido, but it also has significant benefits for women.* In studies with women, tribulus supplementation supported arousal, desire, lubrication, and sexual satisfaction.* Tribulus was shown to increase blood levels of free testosterone, a hormone that plays a role in female libido.*

Asparagus racemosus is an Ayurvedic herb that is recognized as an aphrodisiac for women.* It is also called shatavari, meaning 'able to have one hundred husbands,' a term that reflects enhanced lovemaking ability and fertility in those consuming the herb.* As the main Ayurvedic rejuvenative tonic for women, shatavari is used to cleanse and tonify the female reproductive system.* Additionally, it is used as an adaptogen to alleviate the effects of stress on mood and sexual desire.*

Fouquieria splendens (ocotillo bark) is an extremely useful botanical for sexual function in women.* *Fouquieria splendens* is held in high esteem by Southwestern herbalists, Latin American *curanderos* (folk healers), and native people in the Southwest.* Traditional lore suggests that ocotillo can improve venous blood flow in the lower abdomen, thus relieving pelvic congestion.* Normal, healthy pelvic blood flow is associated with a satisfactory sex drive and sexual experience.*

Zingiber officinale (ginger) has long been used for medicinal purposes in China and India.* Numerous studies have shown that ginger can play a role in modulating inflammatory responses, alleviating short-term pain, and muscle calming.* In clinical trials, ginger has been shown to support aspects of healthy menstruation and problem-free intercourse.* Studies also suggest that ginger may alleviate temporary pain in otherwise healthy individuals by regulating systemic inflammation.* Finally, the antioxidants in ginger may help protect the ovaries and uterus against environmental toxins that can compromise women's health and fertility.*

References

Brooks NA, et al. *Menopause*. 2008 Nov-Dec;15(6):1157-62.
Dording CM, et al. *CNS Neurosci Ther*. 2008 Fall;14(3):182-91.
Dording CM, et al. *Evid Based Complement Alternat Med*. 2015;2015:949036.
Guo SS, et al. *Evid Based Complement Alternat Med*. 2016;2016:4394261.
Peres ND, et al. *Food Funct*. 2020 Jan 29;11(1):83-92.
Ybáñez-Julca RO, et al. *Pharmacogn J*. 2021;13(1).
Akhtari E, et al. *Daru*. 2014 Apr 28;22(1):40.
Chhatre S, et al. *Pharmacogn Rev*. 2014 Jan;8(15):45-51.
de Souza KZ, et al. *Menopause*. 2016 Nov;23(11):1252-6.
Chanbari A, et al. *Phytomedicine*. 2021 Jan 8;84:153462.
Tadayon M, et al. *J Family Med Prim Care*. 2018 Sep-Oct;7(5):888-92.
Turna BU, et al. *Int J Impot Res*. 2005 Mar;17(2):148-53.
Vale FBC, et al. *Gynecol Endocrinol*. 2018 May;34(5):442-5.
Wählin-Jacobsen S, et al. *J Sex Med*. 2017 Mar;14(3):366-79.
Ahmad MP, et al. *Pak J Pharm Sci*. 2015 Mar;28(2):509-13.
Alok S, et al. *Asian Pacific J Tropical Dis*. 2013 Apr 1;3(3):242-51.
Goyal RK, et al. *Indian J Med Sci*. 2003 Sep 1;57(9):408-14.
Joshi T, Sah SP, Singh A. *Indian J Exp Biol*. 2012 Jun;50(6):419-24.
Pandey AK, et al. *Biomed Pharmacother*. 2018 Jul;103:46-9.
Sharma K, Bhatnagar M. *Int J Pharma Biological Archives*. 2011;2(3):855-63.

Feistel B, et al. *Planta Medica*. 2010 Aug;76(12):P002.
Estrada-Reyes R, et al. *J Ethnopharmacol*. 2013 Mar 7;146(1):164-72.
Estrada-Reyes R, et al. *J Ethnopharmacol*. 2009 Jun 25;123(3):423-9.
Kumar S, et al. *Indian J Pharm Sci*. 2008 Nov;70(6):740-4.
Ito TY, et al. *J Sex Marital Ther*. 2006 Oct-Dec;32(5):369-78.
Ito TY, et al. *J Sex Marital Ther*. 2001 Oct-Dec;27(5):541-9.
María DB, et al. *J Ethnopharmacol*. 2019 May 23;236:50-62.
Palacios S. *BMC Women's Health*. 2019 Apr 30;19(1):58.
Szweczyk K, Zidorn C. *J Ethnopharmacol*. 2014 Mar 28;152(3):424-43.
Alappattu MJ, et al. *Sex Med*. 2015 Mar;3(1):14-23.
Jurga-Karwacka A, et al. *PLoS One*. 2019; 14(4): e0213834.
Smith SE, Eckert JM. *Semin Reprod Med*. 2018 Mar;36(2):159-63.
Yarnell E, Abascal K. *Altern Complement Ther*. 2005 Oct 1;11(5):246-51.
Abolaji AO, et al. *Chem Biol Interact*. 2017 May 25;270:15-23.
Afari N, et al. *Ann Behav Med*. 2011 Oct 1;42(2):277-83.
Alsherbiny MA, et al. *Food Chem Toxicol*. 2019 Jan;123:72-97.
Askari G, et al. *J Herbal Med*. 2020 May 6:100364.
Basson R, et al. *J Obstet Gynaecol Can*. 2020 Nov 1;42(11):1351-7.
Buddhakala N, et al. *Planta Med*. 2008;74(4):385-91.
Daily JW, et al. *Pain Med*. 2015 Dec;16(12):2243-55.
Jalali M, et al. *Phytother Res*. 2020 Aug;34(8):1723-33.
Rondanelli M, et al. *Phytother Res*. 2020 Nov;34(11):2843-56.
Yilmaz N, et al. *J Chin Med Assoc*. 2018 Oct;81(10):905-11.

Supplement Facts

Serving Size 1 Dropperful (1 mL)
Servings Per Container Approx. 60

Amount Per Serving	% Daily Value
--------------------	---------------

Proprietary blend	147 mg †
<i>Lepidium meyenii</i> (Maca) root, <i>Turnera diffusa</i> (Damiana) aerial, <i>Tribulus terrestris</i> (Puncture Vine) fruit, <i>Asparagus racemosus</i> (Shatavari) rhizome, <i>Fouquieria splendens</i> (Ocotillo) bark, <i>Zingiber officinale</i> (Ginger) rhizome.	

† Daily Value not established.

Other ingredients: Organic vegetable glycerin, organic cane ethanol, distilled water.

Suggested Use: As a dietary supplement, 1 dropperful one to three times daily with or without meals, or as directed by a healthcare practitioner. Shake well before use.

Warning: Seek expert medical advice before taking during pregnancy.